In the Claims

Please amend the claims as follows. Applicant has included herewith a complete claim set with insertions and deletions indicated by underlining and strikethrough (or double bracketing), respectively.

- (Currently amended) A <u>polymeric film therapeutic vehicle</u> adapted for application to <u>and subsequent removal from a wound bed of an</u> acute or chronic cutaneous <u>wound wounds</u> wherein said <u>film vehicle</u> has integral therewith, or applied thereto, a cell culture surface obtainable by plasma polymerisation and containing a carboxylic acid functionality of at least 5%, to which at least one keratinocyte is attached, characterised in that said at least one keratinocyte is capable of detachment from said culture surface and transfer to <u>an acute or chronic cutaneous wound, upon contact twith</u> a wound bed upon contact therewith.
- (Currently amended) A <u>polymeric film vehicle</u> according to claim 1, wherein said surface acid functionality is between 5-20%.
- (Currently amended) A polymeric film vehicle according to claim 1, wherein said surface acid functionality is greater than 20%.
- (Canceled)
- (Currently amended) A <u>polymeric film vehicle</u> according to claim 1, wherein said carboxylic acid functionality is provided by propionic acid.
- (Currently amended) A <u>polymeric film vehicle</u> according to claim 1, wherein said carboxylic acid functionality is provided by acrylic acid.
- (Currently amended) A <u>polymeric film</u> vehicle according to claim 1, wherein said surface is provided by coating a substrate with a plasma co-polymer of a carboxylic acid containing monomer.

- (Currently amended) A <u>polymeric film vehicle</u> according to claim 7, wherein said copolymer is a mixture of acrylic acid and a hydrocarbon.
- 9. (Currently amended) A <u>polymeric film vehicle</u> according to claim 8, wherein said hydrocarbon is 1,7-octadiene,
- (Currently amended) A <u>polymeric film vehicle</u> according to claim 9, wherein acrylic acid is provided at 50-100% and 1.7-octadiene is provided at 0-50% in the gas feed.
- 11. (Canceled)
- 12. (Currently amended) A <u>polymeric film</u> vehicle according to claim 1 [[11]] wherein said at least one keratinocyte is mammalian cells are human.
- 13.-14. (Canceled)
- (Currently amended) A <u>polymeric film vehicle</u> according to claim 1, wherein said <u>polymeric film vehicle</u> comprises matrix material.
- 16-24. (Canceled)
- (Currently amended) A method for the treatment of cutaneous wounds, comprising using a polymeric film therapeutic vehicle according to claim 1.
- 26. (Original) A method according to claim 25, wherein said plasma is created using a plasma power of 0-50W and a flow rate of 0-20sccm under continuous wave conditions.
- (Original) A method according to claim 25, wherein said plasma is created using pulsed wave conditions.

- 28. (Currently amended) A method for the treatment of acute or chronic cutaneous wounds, comprising using a <u>polymeric film</u> therapeutic vehicle according to claim 8, wherein said acid is acrylic acid and said hydrocarbon is 1,7-octadiene.
- (Original) A method according to claim 28, wherein said plasma comprises 50-100% acrylic acid and 0-50% 1.7-octadiene in the gas feed.
- 30. (Previously presented) A method according to claim 29, wherein said plasma comprises the following percentages of acrylic acid and 1,7-octadiene:

acrylic acid %	1,7-octadiene %
50	50
60	40
70	30
80	20
90	10
100	0

31. (Previously presented) A method according to claim 29, wherein said plasma comprises the following percentages of acid and hydrocarbon:

acid %	hydrocarbon %
50	50
60	40
70	30
80	20
90	10
100	0

32. (Canceled)